

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	09/990,001	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 17:08
S2	1	09/747,651	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 13:24
S4	515	(web adj E\$1mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 13:38
S5	9	S4 and (server with decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 13:45
S6	23	S4 and (server same decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 13:45
S7	14	S6 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 13:50
S8	6173	e\$1mail\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:17
S9	13	(e\$1mail\$1 same (public adj key\$1) same server\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 14:24
S10	126	S8 and (server\$1 with decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 14:26
S11	37	S10 and @ad<="20001128"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 14:24

S12	50	S8 and (server\$1 with decrypt\$3 with e\$1mail\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:40
S13	515	(web adj E\$1mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:42
S14	23	S13 and (server same decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:42
S15	9	S13 and (server with decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:42
S16	14	S14 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:43
S17	515	(web adj E\$1mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:44
S18	1	S17 and (re\$1encrypt)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:44
S19	1	S17 and (re\$1encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:52
S20	3286	HTTP same e\$1mail	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:52
S21	1685	HTTP same e\$1mail same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:52

S22	627	HTTP with e\$1mail with server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 16:52
S23	9	HTTP with e\$1mail with server\$1 with decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:05
S24	126	SSL near3 time\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:21
S25	5	S20 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:16
S26	0	S24 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:16
S27	6173	e\$1mail\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:17
S28	6173	e\$1mail\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:18
S29	0	S24 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:18
S30	1	SSL near3 expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:19
S31	34686	"713".CLAS. or "380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:21

S32	51	S24 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:49
S33	20	S32 and e\$1mail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:22
S34	2	09/737,410	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:50
S35	1	09/937,410	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:52
S36	0	09/936,413	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 17:58
S37	2	09/936,315	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 18:02
S38	0	09/920,320	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 18:03
S39	0	09/936,415	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 18:03
S40	0	09/936,410	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 18:03
S41	2	09/991,201	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/11 18:03

S42	3613	709/225.CCLS. or 709/229.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 11:45
S43	6	S42 and (security adj (rule\$1 or polic\$3)) with (threshold\$1 or limit\$1 or pattern\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:08
S44	0	S42 and (security adj (rule\$1 or polic\$3)) with (threshold\$1) with (string\$1 or character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 11:50
S45	1129	S42 and (URL\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 11:51
S46	17	S45 and (maximum with character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 11:52
S47	0	S45 and ((maximum with character\$1) same securit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 11:52
S48	0	S42 and (security adj (rule\$1 or polic\$3)) with (maximum\$3 near3 (length\$1 or character\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:07
S49	0	S42 and (security adj (rule\$1 or polic\$3)) with (maximum\$3 with character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:07
S50	0	S42 and (security adj (rule\$1 or polic\$3)) same (maximum\$3 with character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:08
S51	1	S42 and (security adj (rule\$1 or polic\$3)) with (threshold\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:08

S52	1	S42 and (security adj (rule\$1 or polic\$3)) with (maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:09
S53	4	S42 and (security adj (rule\$1 or polic\$3)) same (maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:11
S54	2	S42 and (security adj (rule\$1 or polic\$3)) same (exceed\$3 with threshold\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:12
S55	4	S42 and (security adj (rule\$1 or polic\$3)) same (maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:12
S56	67	S42 and (security adj (rule\$1 or polic\$3)) and (maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:13
S57	0	S42 and (security adj (rule\$1 or polic\$3)) and (maximum adj character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:13
S58	3	S42 and (security adj (rule\$1 or polic\$3)) and (maximum adj length\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 12:13
S59	1	"20020052923".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 17:14
S60	1	"6081899".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 17:14
S61	0	"99231158".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 17:51

S62	1387	email.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 11:28
S63	1	(passphras\$3 and biometric\$1) and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 11:29
S64	5984	e\$1mail.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 11:28
S65	1	S64 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 11:28
S66	30	(passphras\$3 or biometric\$1) and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 12:07
S67	3	(passphras\$3) and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 12:07
S68	13	(passphras\$3) and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 12:19
S69	1	"20020108024".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 12:19